CLEAN HANDS SAVE LIVES


Hand hygiene is the best defense against spread of infection

When should you do hand hygiene?

Required by everyone with patient contact

- Immediately before entering and after leaving patient room
- Before and after all contact with patients, their equipment, or environment
- Perform hand hygiene and change gloves between dirty and clean tasks
- After removing gowns, gloves, and masks
- Before sterile or aseptic tasks

Hand hygiene compliance, 2010 - 2017



1. 2011 KPC+ Klebsiella outbreak


2. 2012 4Q 2 pumps campaign, new stringent observation definitions

3. 2014 4Q Ebola

New hand hygiene initiative for 2018

- Introduce broad participation in compliance monitoring by healthcare personnel
- Equip staff with the tools to remind each other gently when we forget
- Inform patients that hand hygiene is an essential part of their care

"All hands on deck" approach improved compliance



Sickbert-Bennett et al, Am J Infect Control 2016.


New hand hygiene initiative for 2018

Introduce broad participation in compliance monitoring by healthcare personnel

Equip staff with the tools to remind each other *gently* when we forget

Inform patients that hand hygiene is an essential part of their care

Use of a code word increased hand hygiene compliance



Zhu C et al. Presented at BID Silverman Symposium 2016.

New hand hygiene initiative for 2018

Introduce broad participation in compliance monitoring by healthcare personnel

Equip staff with the tools to remind each other *gently* when we forget



